

| | | | | | | | | | | | | |
|--------------------------|--------|-------|------|-------|------|------|------|------|------|--------|--------|------|
| Nominal bore | DN | 5 | 6 | 8 | 10 | 12 | 16 | 19 | 25 | 31 | 38 | 51 |
| Internal diameter | inches | 3/16" | 1/4" | 5/16" | 3/8" | 1/2" | 5/8" | 3/4" | 1" | 1.1/4" | 1.1/2" | 2" |
| | mm | 4,8 | 6,4 | 7,9 | 9,5 | 12,8 | 16,0 | 19,0 | 25,4 | 31,8 | 38,1 | 50,8 |

| | | | | | | | | | | | | | |
|--------------------------|----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|
| TEKNO 1SN | B12T..N | B12T03N | B12T04N | B12T05N | B12T06N | B12T08N | B12T10N | B12T12N | B12T16N | B12T20N | B12T24N | B12T32N | |
| | | 15,8 | 17,6 | 18,6 | 20,5 | 23,0 | 27,0 | 30,5 | 39,0 | 48,5 | 56,6 | 70,3 | |
| | B1SC | | B1SC04 | B1SC05 | B1SC06 | B1SC08 | B1SC10 | B1SC12 | B1SC16 | | | | |
| | | | 15,9 | 17,8 | 19,8 | 23,2 | 27,4 | 30,2 | 37,9 | | | | |
| EVERGREEN FOREVER | B1T | B1T03 | B1T04 | B1T05 | B1T06 | B1T08 | B1T10 | B1T12 | B1T16 | B1T20 | B1T24 | | |
| | | 15,2 | 16,4 | 18,2 | 20,1 | 24,2 | 26,4 | 30,8 | 38,9 | 47,0 | 54,0 | | |
| | B1R | B1R03 | B1R04 | B1R05 | B1R06 | B1R08 | B1R10 | B1R12 | B1R16 | B1R20 | B1R24 | B1R32 | |
| 15,2 | | 17,2 | 18,8 | 21,0 | 25,4 | 28,2 | 32,2 | 39,8 | 46,6 | 53,0 | 66,2 | | |
| | | 18 | 21 | 22 | 23 | 25 | 28 | 34 | 37 | 43 | 47 | 62 | |

| | | | | | | | | | | | | |
|--------------------------|----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TEKNO 2SN | B12T..N | B12T03N | B12T04N | B12T05N | B12T06N | B12T08N | B12T10N | B12T12N | B12T16N | B12T20N | B12T24N | B12T32N |
| | | 16,0 | 18,7 | 19,6 | 21,3 | 24,3 | 28,2 | 32,1 | 40,3 | 51,0 | 59,0 | 72,7 |
| | B2T | B2T03 | B2T04 | B2T05 | B2T06 | B2T08 | B2T10 | B2T12 | B2T16 | B2T20 | B2T24 | |
| | | 15,7 | 18,0 | 20,2 | 21,4 | 25,6 | 28,5 | 32,0 | 41,0 | 50,0 | 57,5 | |
| EVERGREEN FOREVER | B2R | B2R03 | B2R04 | B2R05 | B2R06 | B2R08 | B2R10 | B2R12 | B2R16 | B2R20 | B2R24 | B2R32 |
| | | 17,6 | 17,8 | 20,3 | 23,0 | 25,7 | 29,0 | 33,5 | 41,2 | 50,8 | 56,7 | 69,5 |
| | | | 18,5 | 21 | 22 | 23 | 25 | 28 | 34 | 37 | 43 | 47 |

| | | | | | | | | | | | | |
|-----------------|------------|--|-------------|--|-------------|-------------|-------------|-------------|-------------|--|--|--|
| FORTHREE | B2R | | B2R04 | | B2R06 | B2R08 | B2R10 | B2R12 | B2R16 | | | |
| | | | 19,0 | | 24,0 | 26,8 | 30,3 | 34,8 | 42,1 | | | |
| | | | 21 | | 23 | 25 | 28 | 34 | 37 | | | |

| | | | | | | | | | | | | |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------|--|
| TEKNO 1SC / 1SC PLUS | B1SC | | B1SC04 | B1SC05 | B1SC06 | B1SC08 | B1SC10 | B1SC12 | B1SC16 | | | |
| | | | 15,3 | 16,8 | 18,8 | 22,5 | 26,4 | 29,4 | 36,9 | | | |
| | B1K | B1K04 | B1K05 | B1K06 | B1K08 | B1K10 | B1K12 | B1K16 | B1K20 | B1K24 | B1K32 | |
| 15,0 | | 16,3 | 18,6 | 22,7 | 26,4 | 29,5 | 37,9 | 44,8 | 51,3 | 64,6 | | |

| | | | | | | | | | | | | |
|-----------------------------|----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TEKNO 2SC / 2SC PLUS | B12T..N | | B12T04N | B12T05N | B12T06N | B12T08N | B12T10N | B12T12N | B12T16N | B12T20N | B12T24N | B12T32N |
| | | | 17,9 | 18,8 | 20,2 | 23,5 | 27,4 | 30,9 | 39,1 | 48,7 | 56,2 | 71,0 |
| | B1SC | | B1SC04 | B1SC05 | B1SC06 | B1SC08 | B1SC10 | B1SC12 | B1SC16 | | | |
| | | 16,2 | 18,0 | 19,5 | 23,2 | 27,4 | 30,3 | 37,9 | | | | |

| | | | | | | | | | | | | |
|-------------------|----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|--|
| STRONGER 1 | B1R | B1R03 | B1R04 | B1R05 | B1R06 | B1R08 | B1R10 | B1R12 | B1R16 | B1R20 | | |
| | | 15,4 | 17,3 | 18,6 | 20,5 | 25,2 | 27,4 | 31,0 | 39,0 | 45,7 | | |
| | | 18 | 21 | 22 | 23 | 25 | 28 | 34 | 37 | 43 | | |
| | B12T..N | B12T03N | B12T04N | B12T05N | B12T06N | B12T08N | B12T10N | | | | | |
| | | 16,2 | 18,1 | 18,4 | 20,0 | 23,2 | 26,2 | | | | | |
| B1SC | | B1SC04 | B1SC05 | B1SC06 | B1SC08 | B1SC10 | B1SC12 | B1SC16 | | | | |
| | | 16,0 | 17,6 | 19,3 | 23,0 | 26,6 | 29,0 | 38,1 | | | | |

| | | | | | | | | | | | |
|------------------|----------------|--|-------------|--|-------------|--|--|--|--|--|--|
| TEKNOJACK | B12T..N | | B12T04N | | B12T06N | | | | | | |
| | | | 19,0 | | 20,3 | | | | | | |

| | | | | | | | | | | | |
|--------------------|------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|--|
| TEKNOMASTER | B2R | | B2R04 | B2R05 | B2R06 | B2R08 | B2R10 | B2R12 | B2R16 | | |
| | | | 17,6 | 20,0 | 22,9 | 26,0 | 29,4 | 33,6 | 41,6 | | |
| | | | 21 | 22 | 23 | 25 | 28 | 34 | 37 | | |

| | | | | | | | | | | | |
|------------------------|-------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|--|
| ALPI 3300 / R17 | B1SC | | B1SC04 | B1SC05 | B1SC06 | B1SC08 | B1SC10 | B1SC12 | B1SC16 | | |
| | | | 15,6 | 16,9 | 18,8 | 22,5 | 28,0 | 30,6 | 37,9 | | |

| Nominal bore | DN | 5 | 6 | 8 | 10 | 12 | 16 | 19 | 25 | 31 | 38 | 51 |
|-------------------|--------|-------|------|-------|------|------|------|------|------|--------|--------|------|
| Internal diameter | inches | 3/16" | 1/4" | 5/16" | 3/8" | 1/2" | 5/8" | 3/4" | 1" | 1.1/4" | 1.1/2" | 2" |
| | mm | 4,8 | 6,4 | 7,9 | 9,5 | 12,8 | 16,0 | 19,0 | 25,4 | 31,8 | 38,1 | 50,8 |

| | | | | | | | | | | | | |
|------------------------|----------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|--|--|
| ALPI 4000 / R19 | B12T..N | | | B12T05N | B12T06N | B12T08N | B12T10N | B12T12N | B12T16N | | | |
| | | | | 19,0 | 20,6 | 23,5 | 27,3 | 31,1 | 39,0 | | | |
| | B1SC | | B1SC04 | B1SC05 | B1SC06 | B1SC08 | B1SC10 | B1SC12 | B1SC16 | | | |
| | | | 15,8 | 18,0 | 20,0 | 23,8 | 27,7 | 30,3 | 37,8 | | | |

| | | | | | | | | | | | | |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|-------------|-------------|--|--|--|
| SLIM | B1SC | | B1SC04 | B1SC05 | B1SC06 | B1SC08 | | B1SC12 | | | | |
| | | | 15,0 | 16,8 | 18,2 | 21,9 | | 28,7 | | | | |
| | B1K | | B1K04 | B1K05 | B1K06 | B1K08 | | | B1K16 | | | |
| | | | 13,8 | 15,7 | 18,1 | 21,7 | | | 35,3 | | | |
| | B7R | B7R03 | | | | | | | | | | |
| | | 12,3 | | | | | | | | | | |

| | | | | | | | | | | | | |
|---------------------|-------------|--|-------------|-------------|-------------|-------------|--|--|--|--|--|--|
| SERVOCOMANDO | B1SC | | B1SC04 | B1SC05 | B1SC06 | B1SC08 | | | | | | |
| | | | 15,5 | 17,0 | 18,7 | 22,5 | | | | | | |

| | | | | | | | | | | | | | |
|------------------|----------------|--|--|--|--|--|--|--|-------------|-------------|-------------|-------------|--|
| LIFT-PLUS | B12T..N | | | | | | | | | | B12T24N | B12T32N | |
| | | | | | | | | | | | 56,8 | 71,0 | |
| | B1SC | | | | | | | | B1SC12 | B1SC16 | | | |
| | | | | | | | | | 29,2 | 36,4 | | | |
| B1R | | | | | | | | | | B1R20 | | | |
| | | | | | | | | | | 45,6 | | | |
| | | | | | | | | | | 43 | | | |
| | B1K | | | | | | | | | B1R20 | | | |
| | | | | | | | | | | 44,6 | | | |

| | | | | | | | | | | | | |
|----------------|----------------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|--|--|
| PREMIER | B12T..N | | B12T04N | B12T05N | B12T06N | B12T08N | B12T10N | B12T12N | B12T16N | | | |
| | | | 18,0 | 18,8 | 20,3 | 23,2 | 27,3 | 31,3 | 39,1 | | | |

| | | | | | | | | | | | | |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| VULCAN 1 (NO SKIVE ONLY FOR LOW PRESSURE APPLICATIONS) | B1R | B1R03 | B1R04 | B1R05 | B1R06 | B1R08 | B1R10 | B1R12 | B1R16 | B1R20 | B1R24 | B1R32 |
| | | 15,2 | 17,2 | 18,8 | 21,0 | 25,1 | 28,2 | 32,2 | 39,8 | 46,6 | 53,0 | 66,2 |
| | | 18 | 21 | 22 | 23 | 25 | 28 | 34 | 37 | 43 | 47 | 62 |
| | B1SC | | B1SC04 | B1SC05 | B1SC06 | B1SC08 | B1SC10 | B1SC12 | B1SC16 | | | |
| | | 16,2 | 18,2 | 20,0 | 23,8 | 27,7 | 30,7 | 38,7 | | | | |
| B1T | | | | | | | | B1T16 | B1T20 | B1T24 | | |
| | | | | | | | | 38,8 | 48,0 | 54,0 | | |
| B12T..N | | | | B12T06N | | | | | | | | B12T32N |
| | | | | 20,5 | | | | | | | | 70,2 |

| | | | | | | | | | | | | |
|-----------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| VULCAN 2 | B2R | B2R03 | B2R04 | B2R05 | B2R06 | B2R08 | B2R10 | B2R12 | B2R16 | B2R20 | B2R24 | B2R32 |
| | | 17,6 | 17,8 | 20,3 | 23,0 | 25,7 | 29,9 | 33,5 | 41,2 | 50,8 | 56,7 | 69,5 |
| | | 18,5 | 21 | 22 | 23 | 25 | 28 | 34 | 37 | 43 | 47 | 64 |

| Nominal bore | DN | 5 | 6 | 8 | 10 | 12 | 16 | 19 | 25 | 31 | 38 | 51 |
|-------------------|--------|-------|------|-------|------|------|------|------|------|--------|--------|------|
| Internal diameter | inches | 3/16" | 1/4" | 5/16" | 3/8" | 1/2" | 5/8" | 3/4" | 1" | 1.1/4" | 1.1/2" | 2" |
| | mm | 4,8 | 6,4 | 7,9 | 9,5 | 12,8 | 16,0 | 19,0 | 25,4 | 31,8 | 38,1 | 50,8 |

| | | | | | | | | | | | | | | |
|--|------------------------------------|--|--|--|--|--|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| TEKNOSPIR R15 EVERGREEN FOREVER | KB4SH Interlock fittings | | | | | | | | KB4SH12 | KB4SH16 | | | | |
| | | | | | | | | | | 33,9 | 41,5 | | | |
| | | | | | | | | | | 15 / 52 | 17 / 67 | | | |
| | KBH13 Interlock fittings | | | | | | | | | | | KBH1320 | KBH1324 | KBH1332 |
| | | | | | | | | | | | | 54,6 | 60,9 | 77,4 |
| | | | | | | | | | | | 21,5 / 74 | 22 / 81 | 29 / 85 | |
| HB4NS Hyperspiral fittings | | | | | | | | HB4NS10 | HB4NS12 | HB4NS16 | | | | |
| | | | | | | | | 34,5 | 37,5 | 46,7 | | | | |
| HB6NS Hyperspiral fittings | | | | | | | | | | | HB6NS20 | | | |
| | | | | | | | | | | | 57,8 | | | |

| | | | | | | | | | | | | | | |
|--------------------------------------|------------------------|--|--|--|--|--|-------------|-------------|-------------|-------------|-------------|-------------|--|--|
| EVEREST 4000 | B9R Skive | | | | | | | | B9R12 | B9R16 | B9R20 | | | |
| | | | | | | | | | | 34,0 | 42,0 | 53,2 | | |
| | | | | | | | | | | 36 | 48 | 54 | | |
| | B5K No-Skive | | | | | | | B5K08 | B5K10 | B5K12 | B5K16 | B5K204 | | |
| | | | | | | | | 27,6 | 32,3 | 35,8 | 43,5 | 54,0 | | |
| HB4NS Hyperspiral fittings | | | | | | | HB4NS08 | HB4NS10 | HB4NS12 | | HB4NS20 | | | |
| | | | | | | | 28,7 | 33,5 | 37,3 | | 55,5 | | | |

| | | | | | | | | | | | | | | | |
|--------------------------------------|------------------------------------|--|--|--|--|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|--|
| EVEREST 5000 | B9R Skive | | | | | | | | B9R10 | B9R12 | B9R16 | B9R20 | | | |
| | | | | | | | | | | 29,2 | 33,2 | 41,6 | 52,1 | | |
| | | | | | | | | | | 31 | 36 | 48 | 54 | | |
| | B5K No-Skive | | | | | | | B5K08 | B5K10 | B5K12 | B5K16 | B5K204 | | | |
| | | | | | | | | 28,5 | 32,9 | 36,0 | 43,5 | 54,0 | | | |
| | KB4SH Interlock fittings | | | | | | | | | KB4SH12 | KB4SH16 | KB4SH20 | | | |
| | | | | | | | | | 33,9 | 41,3 | 49,8 | | | | |
| | | | | | | | | | | | | 21,5 / 74 | | | |
| KBH13 Interlock fittings | | | | | | | | | | | | KBH1324 | KBH1332 | | |
| | | | | | | | | | | | | 59,7 | 78,2 | | |
| | | | | | | | | | | | 22 / 81 | 29 / 85 | | | |
| HB4NS Hyperspiral fittings | | | | | | | HB4NS08 | HB4NS10 | HB4NS12 | HB4NS16 | HB4NS20 | | | | |
| | | | | | | | 28,8 | 33,9 | 37,5 | 46,5 | 55,5 | | | | |

| | | | | | | | | | | | | | |
|--------------------------------------|------------------------------------|--|--|--|--|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| EVEREST 6000 | KB4SH Interlock fittings | | | | | | | | KB4SH12 | KB4SH16 | | | |
| | | | | | | | | | | 33,9 | 41,3 | | |
| | | | | | | | | | | | | 15 / 52 | 17 / 67 |
| | KBH13 Interlock fittings | | | | | | | | | | | KBH1320 | KBH1324 |
| | | | | | | | | | | | | 53,3 | 60,5 |
| | | | | | | | | | | | 21,5 / 74 | 22 / 81 | |
| HB4NS Hyperspiral fittings | | | | | | | HB4NS06 | HB4NS08 | HB4NS10 | HB4NS12 | HB4NS16 | | |
| | | | | | | | 26,1 | 29,0 | 33,7 | 37,5 | 46,7 | | |
| HB6NS Hyperspiral fittings | | | | | | | | | | | HB6NS20 | | |
| | | | | | | | | | | | 57,8 | | |

| | | | | | | | | | | | | |
|-------------------|--------|-------|------|-------|------|------|------|------|------|--------|--------|------|
| Nominal bore | DN | 5 | 6 | 8 | 10 | 12 | 16 | 19 | 25 | 31 | 38 | 51 |
| Internal diameter | inches | 3/16" | 1/4" | 5/16" | 3/8" | 1/2" | 5/8" | 3/4" | 1" | 1.1/4" | 1.1/2" | 2" |
| | mm | 4,8 | 6,4 | 7,9 | 9,5 | 12,8 | 16,0 | 19,0 | 25,4 | 31,8 | 38,1 | 50,8 |

| | | | | | | | | | | | | | |
|------------------|---------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|--|--|--|--|
| TEKNOJET 1SN 250 | B12T..N | B12T04N | B12T05N | B12T06N | B12T08N | | | | | | | | |
| | | 18,0 | 18,6 | 20,5 | 23,4 | | | | | | | | |
| | B1R | B1R04 | B1R05 | B1R06 | B1R08 | | | | | | | | |
| | | 17,2 | 18,8 | 21,0 | 25,4 | | | | | | | | |
| | B1SC | 21 | 22 | 23 | 25 | | | | | | | | |
| B1SC04 | | B1SC05 | B1SC06 | B1SC08 | 16,0 | 17,8 | 20,0 | 23,6 | | | | | |

| | | | | | | | | | | | | |
|------------------|---------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|--|--|
| TEKNOJET 2SN 400 | B2R | B2R04 | B2R05 | B2R06 | B2R08 | | | | | | | |
| | | 17,8 | 20,3 | 23,0 | 25,7 | | | | | | | |
| | B12T..N | 21 | 22 | 23 | 25 | | | | | | | |
| | | B12T04N | B12T05N | B12T06N | B12T08N | 18,6 | 19,6 | 21,6 | 24,4 | | | |

| | | | | | | | | | | | | |
|-----------------------|-----|-------------|-------------|-------------|-------------|--|--|--|--|--|--|--|
| TEKNOJET 1SN PLUS 315 | B1R | B1R04 | B1R05 | B1R06 | B1R08 | | | | | | | |
| | | 17,2 | 18,8 | 21,0 | 25,4 | | | | | | | |
| | | 21 | 22 | 23 | 25 | | | | | | | |

| | | | | | | | | | | | | |
|-----------------------|-----|-------------|-------------|-------------|-------------|--|--|--|--|--|--|--|
| TEKNOJET 2SN PLUS 600 | B2R | B2R04 | B2R05 | B2R06 | B2R08 | | | | | | | |
| | | 17,8 | 20,3 | 23,0 | 25,7 | | | | | | | |
| | | 21 | 22 | 23 | 25 | | | | | | | |

| | | | | | | | | | | | | |
|------------------|------|-------------|-------------|-------------|-------------|--|--|--|--|--|--|--|
| TEKNOJET 1SC 250 | B1SC | B1SC04 | B1SC05 | B1SC06 | B1SC08 | | | | | | | |
| | | 15,3 | 16,8 | 18,6 | 22,5 | | | | | | | |

| | | | | | | | | | | | | |
|------------------|---------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|--|--|
| TEKNOJET 2SC 400 | B12T..N | B12T04N | B12T05N | B12T06N | B12T08N | | | | | | | |
| | | 18,2 | 19,0 | 20,4 | 23,5 | | | | | | | |
| | B1SC | B1SC04 | B1SC05 | B1SC06 | B1SC08 | 16,2 | 18,0 | 20,0 | 23,8 | | | |

| | | | | | | | | | | | | |
|------------|-----|--|--|-------------|-------------|--|-------------|--|--|--|--|--|
| TEKNOBLAST | WB4 | | | WB406 | WB408 | | WB412 | | | | | |
| | | | | 24,4 | 28,2 | | 38,6 | | | | | |
| | | | | 15 / 47 | 16 / 52 | | 19 / 54 | | | | | |

| | | | | | | | | | | | | |
|-----------------|-----|--|--|-------------|-------------|--|-------------|-------------|--|--|--|--|
| TEKNOBLAST PLUS | WB4 | | | WB406 | WB408 | | WB412 | WB416 | | | | |
| | | | | 24,6 | 29,1 | | 38,9 | 41,5 | | | | |
| | | | | 15 / 47 | 16 / 52 | | 19 / 54 | 17 / 57 | | | | |

| | | | | | | | | | | | | |
|-------------------|-----|--|--|--|--|--|-------------|--|--|--|--|--|
| TEKNOBLAST SUPERB | WB6 | | | | | | WB612 | | | | | |
| | | | | | | | 41,2 | | | | | |
| | | | | | | | 19 / 54 | | | | | |

| Nominal bore | DN | 5 | 6 | 8 | 10 | 12 | 16 | 19 | 25 | 31 | 38 | 51 |
|-------------------|--------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Internal diameter | inches | 3/16" | 1/4" | 5/16" | 3/8" | 1/2" | 5/8" | 3/4" | 1" | 1.1/4" | 1.1/2" | 2" |
| | mm | 4,8 | 6,4 | 7,9 | 9,5 | 12,8 | 16,0 | 19,0 | 25,4 | 31,8 | 38,1 | 50,8 |
| TEKNO 1TE / R6 | B7R | | B7R04 | B7R05 | B7R06 | B7R08 | B7R10 | B7R12 | B7R16 | | | |
| | | | 15,0 | 16,6 | 18,4 | 22,6 | 26,1 | 29,3 | 37,6 | | | |
| | B1K | | B1K04 | B1K05 | B1K06 | B1K08 | B1K10 | B1K12 | B1K16 | | | |
| | | | 15,2 | 16,7 | 18,1 | 22,2 | 26,7 | 29,8 | 36,8 | | | |
| B1T | B1T03 | | | | | | | | | | | |
| | | 15,2 | | | | | | | | | | |
| TEKNO 2TE | B7R | | B7R04 | B7R05 | B7R06 | B7R08 | | | | | | |
| | | | 15,5 | 16,7 | 18,5 | 23,1 | | | | | | |
| | B1K | | B1K04 | B1K05 | B1K06 | B1K08 | | B1K12 | | | B1K24 | |
| | | | 14,8 | 17,3 | 18,5 | 22,5 | | 29,9 | | | 52,0 | |
| | B3R | | | | | | B3R10 | B3R12 | B3R16 | B3R20 | | |
| | | | | | | 27,1 | 32,5 | 40,8 | 46,5 | | | |
| B1T | B1T03 | | | | | | | | | | | |
| | | 16,0 | | | | | | | | | | |
| TEKNO 3TE | B1T | B1T03 | | | | | | | | | B1T24 | |
| | | | 15,8 | | | | | | | | 53,5 | |
| | B3R | | B3R04 | B3R05 | B3R06 | B3R08 | B3R10 | B3R12 | B3R16 | B3R20 | | |
| | | 15,6 | 19,5 | 21,5 | 24,4 | 28,4 | 32,9 | 41,2 | 46,5 | | | |
| R4 | | | | | | B3R08 | | B3R12 | B3R16 | B3R20 | B12T24N | B12T32N |
| | | | | | | 24,8 | | 33,6 | 42,0 | 47,5 | 56,7 | 71,7 |
| | | | | | | | | | B12T16N | | | |
| | | | | | | | | 39,6 | | | | |
| R4 FLEX | | | | | | | | B3R12 | B3R16 | B3R20 | B1T24 | B12T32N |
| | | | | | | | | 33,2 | 41,5 | 47,8 | 56,0 | 73,7 |
| R4 CORRUGATED | | | | | | | | B3R12 | B3R16 | B3R20 | B1T24 | B12T32N |
| | | | | | | | | 33,5 | 41,3 | 48,7 | 55 | 70,2 |

| Nominal bore | DN | 5 | 6 | 8 | 10 | 12 | 16 | 19 | 25 | 31 | 38 | 51 |
|-------------------|--------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------|--------|------|
| Internal diameter | inches | 3/16" | 1/4" | 5/16" | 3/8" | 1/2" | 5/8" | 3/4" | 1" | 1.1/4" | 1.1/2" | 2" |
| | mm | 4,8 | 6,4 | 7,9 | 9,5 | 12,8 | 16,0 | 19,0 | 25,4 | 31,8 | 38,1 | 50,8 |
| OL7 / R7 | B7R | B7R03 | B7R04 | B7R05 | B7R06 | B7R08 | B7R10 | B7R12 | B7R16 | | | |
| | | 12,0 | 14,1 | 16,2 | 18,2 | 22,2 | 25,6 | 29,0 | 36,8 | | | |
| | B1K | | B1K04 | B1K05 | B1K06 | B1K08 | | | | | | |
| | | | 14,0 | 17,0 | 17,6 | 22,8 | | | | | | |
| OL8 / R8 | B7R | B7R03 | B7R04 | | B7R06 | B7R08 | | | | | | |
| | | 11,8 | 13,8 | | 18,2 | 22,2 | | | | | | |
| | B1K | | B1K04 | B1K05 | B1K06 | B1K08 | | | | | | |
| | | | 14,0 | 16,7 | 18,4 | 22,4 | | | | | | |
| MTH1 | B7R | B7R03 | B7R04 | B7R05 | B7R06 | B7R08 | B7R10 | B7R12 | B7R16 | | | |
| | | 12,0 | 14,1 | 16,2 | 18,2 | 22,2 | 25,6 | 29,0 | 36,8 | | | |
| | B1K | | B1K04 | B1K05 | B1K06 | B1K08 | | | | | | |
| | | | 13,8 | 17,0 | 18,0 | 21,7 | | | | | | |
| MTH2 | B7R | | | | | B12T08N | | | | | | |
| | | | | | | 23,6 | | | | | | |
| OL7M / R18 | B1SC | | B1SC04 | | B1SC06 | | | | | | | |
| | | | 15,3 | | 19,9 | | | | | | | |
| | B7R | B703R | B704R | | | | | | | | | |
| | | 12,1 | 14,3 | | | | | | | | | |

| Nominal bore | DN | 5 | 6 | 8 | 10 | 12 | 16 | 19 | 25 | 31 | 38 | 51 |
|-------------------------------|--------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Internal diameter | inches | 3/16" | 1/4" | 5/16" | 3/8" | 1/2" | 5/8" | 3/4" | 1" | 1.1/4" | 1.1/2" | 2" |
| | mm | 4,8 | 6,4 | 7,9 | 9,5 | 12,8 | 16,0 | 19,0 | 25,4 | 31,8 | 38,1 | 50,8 |
| PTFE-1FHL SMALL THICKNESS | BPTFE | BPTFE03 | BPTFE04 | BPTFE05 | BPTFE06 | BPTFE08 | BPTFE10 | BPTFE12 | BPTFE16 | | | |
| | | 11,6 | 13,8 | 14,7 | 16,2 | 20,8 | 22,2 | 27,9 | 34,5 | | | |
| PTFE-1FHM MEDIUM THICKNESS | BPTFE | BPTFE03 | BPTFE04 | BPTFE05 | BPTFE06 | BPTFE08 | BPTFE10 | BPTFE12 | BPTFE16 | | | |
| | | 11,6 | 13,8 | 14,7 | 16,2 | 20,8 | 22,2 | 27,9 | 34,5 | | | |
| PTFE-CLWB CONVOLUTED | BPTFEC | | BPTFEC04 | BPTFEC05 | BPTFEC06 | BPTFEC08 | BPTFEC10 | BPTFEC12 | BPTFEC16 | BPTFEC20 | BPTFEC24 | BPTFEC32 |
| | | | 12,8 | - | 16,0 | 19,4 | 22,7 | 26,2 | 33,2 | 44,0 | 50,4 | 62,5 |
| | B7R | | B7R04 | | | | B7R10 | | | | | |
| | | | 12,8 | | | | 24,3 | | | | | |

| | |
|--------------|---|
| 04/11/19 | Last date update |
| +0 / -0,2 mm | Tolerance on the pressing diameter |
| ± 0,5mm | Tolerance on the skive lenght |
| | Box with pressing diameter controlled by our internal production (with GO-No GO gauges) |
| | Box with pressing diameter never checked |
| | Box indicating the ferrules recommended by the manufacturer for that type of hose |

The control with the gauges GO/NO GO is always necessary

| WIRE BRAIDED HOSES WITH STANDARD FITTINGS | | GO, NO GO MANDRELS DIAMETERS (mm) | |
|---|--------|-----------------------------------|-------|
| | | GO | NO-GO |
| 03 | 3/16" | 2,30 | 2,80 |
| 04 | 1/4" | 3,30 | 3,75 |
| 05 | 5/16" | 4,70 | 5,20 |
| 06 | 3/8" | 6,05 | 6,55 |
| 08 | 1/2" | 8,35 | 8,75 |
| 10 | 5/8" | 10,85 | 11,40 |
| 12 | 3/4" | 13,50 | 13,80 |
| 16 | 1" | 18,50 | 19,20 |
| 20 | 1.1/4" | 23,05 | 23,90 |
| 24 | 1.1/2" | 29,80 | 30,70 |
| 32 | 2" | 41,60 | 42,60 |

| WIRE SPIRAL HOSES WITH STANDARD FITTINGS AND NO-SKIVE FERRULES | | GO, NO GO MANDRELS DIAMETERS (mm) | |
|--|--------|-----------------------------------|-------|
| | | GO | NO-GO |
| 04 | 1/4" | 3,15 | 3,60 |
| 06 | 3/8" | 5,60 | 6,25 |
| 08 | 1/2" | 7,60 | 8,40 |
| 10 | 5/8" | 10,05 | 10,90 |
| 12 | 3/4" | 12,35 | 13,30 |
| 16 | 1" | 17,30 | 18,35 |
| 20 | 1.1/4" | 22,25 | 23,35 |
| 24 | 1.1/2" | 29,15 | 30,30 |
| 32 | 2" | 40,70 | 42,00 |

| WIRE SPIRAL HOSES WITH INTERLOCK FITTINGS | | GO, NO GO MANDRELS DIAMETERS (mm) | |
|---|--------|-----------------------------------|-------|
| | | GO | NO-GO |
| 12 | 3/4" | 12,15 | 13,10 |
| 16 | 1" | 16,50 | 17,55 |
| 20 | 1.1/4" | 22,25 | 23,35 |
| 24 | 1.1/2" | 27,15 | 28,30 |
| 32 | 2" | 38,70 | 40,00 |

| | |
|---|---|
| * | Check with No-Go gauge diameter 19,65mm |
|---|---|

| Date | Variation |
|----------|---|
| 12/04/22 | Insert value of vulcan/1 size 1" with ferrule B1T16 |
| 08/09/23 | New LOGO on the pages and general update |
| 12/07/24 | Aggiornato tubo premier - tolto boccola B1SC ed inserito solo la B12T...N |